Guide to Features

IBM 4838-3, 5, 7, & 9xx ONLY
AnyPlace Kiosk

Version 8.0
Last update: January 19, 2012

Technical Sales Support
IBM - Retail Store Solutions
P. O. Box 12195, NKYA/307/DD-202
3039 Cornwallis Rd., Research Triangle Park, NC 27709

CLICK HERE to see if you have the latest level: http://www-1.ibm.com/support/docview.wss?&uid=pos1R1003844

TechLine IBM Retail Store Solutions **Need help NOW?**
http://www.ibm.com/solutions/retail/store/support

PICTORIAL GUIDE to FEATURES

4838-3,5,7,9xx models ONLY IBM. Retail Store Solutions TechLine

CONTENTS

The "Fine Print" 2
Overview 3
Naming Convention for Model Numbers 3
Tailgate 4
Dimensions 4
AnyPlace Kiosk Dimensions 4
AnyPlace Kiosk Features 5
POS ADAPTER 5
APK-POS Without the USB HUB 5
STORAGE Features 6
MOUNTING Features 6
MEMORY Features 7
PRE-LOADED OS Features 8
SCANNER Features 9
MSR Features 9
Power Features 9
Wireless Features 10
Modular Keyboards – Announced in Summer 2008 11
POS Peripherals 14
USB Keyboards 14
USB Customer Displays 15
Cash Drawers 16
LINE CORD FRUs for AnyPlace Kiosk (Tri-lobe style) 20
INLINE (C13-style) for use with FC 1400 POS Adapter hub 21
REVISION HISTORY 21

The "Fine Print"

This Document is a derivative work. The source documents are not required to stay in sync with this guide.

The Feature Codes relate precisely to the Offering Structure and Sales Manual. The Part Number that is included is the "Top Bill" part number which is used to build the ordering tables. The Top Bill DOES NOT SHIP to a customer. This part number causes SMU Parts (Shippable Manufacturing Units) to be assembled and shipped. The SMU number changes frequently during the life cycle of a product.

FRU Numbers, where listed, are for those features where a one-to-one relationship exists between the Feature Code and the Field Replaceable Unit number. The source guide for these is the Hardware Service Manual (one for AnyPlace Kiosk, a separate one for the AnyPlace Hub, and the I/O Service Manual, accessed from the PUBLICATION tab on the TechLine Support page.
http://www-1.ibm.com/support/search.wss?rs=219&q=PUB4836

I/O Service Manual:
http://www-1.ibm.com/support/docview.wss?rs=219&q1=PUB4800&uid=pos1R7000105

If you have questions, concerns, or suggestions, please send them to us as a TechLine inquiry.
http://www2.clearlake.ibm.com/store/support/html/hquestions.html

Overview

Naming Convention for Model Numbers

The first digit is screen size

- 3=15 inch Entry level Via C7 processor
- 5=15 inch AMD
- 7=17 inch AMD
- 9=19 inch AMD

The second digit is processor and maintenance during the Warranty period

- x1x = Via C7 on the -31x models)
- x2x = AMD Turion DEPOT
- x3x = Via C7 on the -33x models)
- x4x = AMD Turion IOR
  NOTE AMD Sempron models **WITHDRAWN – Aug 28, 2009**
  The third digit is preloads.
  - 0=None
  - E= Microsoft WEPOS (base, VISTA and XP can be added as additional Features of the "E" models

	15 Inch Models	17 Inch Models	19 Inch Models
Via C7 Depot blank	4838-310		
Via C7 Depot WEPOS	4838-31E		
Via C7 IOR blank	4838-330		
Via C7 IOR WEPOS	4838-33E		
Sempron Depot blank	4838-510	4838-710	4838-910
Sempron Depot WEPOS	4838-51E	4838-71E	4838-91E
Turion Depot blank	4838-520	4838-720	4838-920
Turion Depot WEPOS	4838-52E	4838-72E	4838-92E
Sempron IOR	4838-530	4838-730	4838-930
Sempron IOR WEPOS	4838-53E	4838-73E	4838-93E
Turion IOR	4838-540	4838-740	4838-940
Turion IOR WEPOS	4838-54E	4838-74E	4838-94E

Tailgate

Dimensions

AnyPlace Kiosk Dimensions

	Models -3xx, -5XX	Models -7XX	Models -9XX
Width	368.6 mm (14.51 in)	402 mm (15.83 in)	440.6 mm (17.35 in)
Depth	72.8 mm (2.87 in)	78.3 mm (3.08 in)	82.8 mm (3.26 in)
Height	325.5 mm (12.82 in)	367.5 mm (14.47 in)	398.5 mm (15.69 in)
Weight	14.2 lb (6.45 kg)	18.2 lb (8.27 kg)	20.5 lb (9.31 kg)

Please refer to Appendix B of the "4838 Planning, Installation, and Service Guide for Models 5xx, 7xx, and 9xx" for precise dimensions for the AnyPlace Kiosk, Optional Power Supply mounting bracket, AnyPlace POS Hub, and Optional AnyPlace POS Hub Mounting brackets.

Planning and Installation Guide
http://www-1.ibm.com/support/docview.wss?&uid=pos1R7000121

AnyPlace Hub Planning and Installation Guide
http://www-1.ibm.com/support/docview.wss?&uid=pos1R7000120

AnyPlace Kiosk Features

FEATURE	MFI PN	Image	DESCRIPTION
		POS ADAPTER	
1400	40N6345	NOTE: THIS HUB is Voltage Sensitive. The High Voltage model is assigned based on FC 2900 or 2901 on the terminal order (or based upon the country into which it is shipped. 	**REINSTATED Jan 27, 2012** **NOTE:** If there is **any** intention to use the AnyPlace Kiosk **WITHOUT** this Hub, you will need to order an AnyPlace Power supply and line cord, 4611-038 FC 2903 **SMU -** 40N6346 AnyPlace POS Hub (5 powered USB + 1 cash drawer, includes a 4Meter System Power supply and system-to-hub cable FRU= 40N6354 Hub FRU= 40N6364 AnyPlace POS cable One may order this AFTER an initial machine order is placed. It is NOT in the Bulk-order 4611 machine type. You need to place an MES order against the 4838, and include your machine serial nmber in the order.

APK-POS Without the USB HUB

A limited POS system can be configured without the use of the FC 1400 HUB.

The Cash Drawer can be ordered via 4611-038 with the Cash Drawer cables FC 6097 or 3387

The 2x20 USB LCD can be ordered with the new Standard USB cable FC 4555.
Keyboards, if required, can be ordered with their STANDARD (non-powered) cables

With the current ordering structure, the Cash Drawer, LCD, and their special cables should be ordered via 4611-038 if you wish to bypass he requirement for **FC 1400** POS HUB

.

PICTORIAL GUIDE to FEATURES

4838-3,5,7,9xx models ONLY

IBM. Retail Store Solutions TechLine

FEATURE	MFI PN	Image	DESCRIPTION
		STORAGE Features	
7999	44V0828		WITHDRAWN August 28, 2009 MES Order - 80GB 3.5" HDD (Hard disk drive) FRU= 44V0744 (HDD + bracket (with release tab) + screws)
8160	N/A		WITHDRAWN August 28, 2009 Factory-ordered System with 160Gb Drive instead of 80Gb
8161	44V0830 **NOT AVAILABLE for model - 3XX**	Standard Machine contains one SATA-2 HDD. The MES orders are for **additional** (backup) blank drives **EFFECTIVE August 28, 2009, ALL FACTORY ORDERS WILL SHIP WITH THE 160Gb SATA Drive.**	MES Order - 160GB 3.5" HDD (Hard disk drive) **SMU = 44V0831** FRU= 44V0962 (HDD + bracket (with release tab) + screws)
0799	N/A **NOT AVAILABLE for model - 3XX**		**WITHDRAWN Sept 30, 2010** Factory Installed 4-GB Modular Flash Drive – (replaces the 80Gb HDD) FRU 44V0754
0797	44V0836 **NOT AVAILABLE for model - 3XX**	Ordering 0799 REMOVES the standard HDD from the machine. If you desire a HDD and the SolidState drive, then order 0797. Also, 0799 is not available installed on Preloaded models (You must order FC 0797). It will fit in HDD-equipped systems, and is a supported configuration option. **THESE FEATURES for models -5xx, -7xx, -9xx ONLY. Not Supported on models -3xx**	**WITHDRAWN Sept 30, 2010** MES (Customer Installed) 4-GB Modular Flash Drive FRU 44V0754
		MOUNTING Features	
2020	44V0816		Wall Mount **SMU = 44V0817** FRU 44V0716 come with 6 screws...4 to mount it to a system unit, and 2 to hold the 2 halves together This mount is Backward Compatible to the previous generation of AnyPlace Kiosk (4838-13x and all administrative and Preloaded models)
2021	40N6352		**REINSTATED Jan 27, 2012** AnyPlace Hub Mount Bracket for POS Adapter (FC 1400) **SMU = 40N6353** FRU 40N6358

FEATURE	MFI PN	Image	DESCRIPTION
2025	44V0810		Table Top Mount - **SMU = 44V0811** FRU 44V0710 (stand with adapter plate and Four screws) + 44V0714 (covers) and 44V0715 (scanner cable slot cover).
		MEMORY Features	
4500	44V0832		512MB Additional DDR2/667Mhz Memory **SMU = 44V0833** FRU=44V0746 **THIS IS A MES ORDER ONLY It is not available on a new machine order. (MES against the 4838 or use 4611-038**
4501	N/A		1 GB Total DDR2/667Mhz Memory Factory Installed FRU=44V0747
4502	44V0834		1 GB Additional DDR2/667Mhz Memory **SMU = 44V0835** FRU=44V0747 **THIS IS A MES ORDER ONLY It is not available on a new machine order. (MES against the 4838 or use 4611-038**
4503	N/A		2GB Total DDR2/667Mhz memory (One 2GB Module) Factory Installed FRU=44V0756 **NOT AVAILABLE for model -3XX**
4504	44V0838	**NOTE: If you need 4Gb of RAM (except for the -3xx models), order the AnyPlace with FC 4503 installed and FC 4504 added. The FC 4504 module will arrive in the carton for you to install.**	2GB DDR2/667Mhz Memory (1x 2GB Modules) Shipped in a Pick-Pack box. **SMU = 44V0839** FRU=44V0756 **NOT AVAILABLE for model -3XX**

PICTORIAL GUIDE to FEATURES

4838-3,5,7,9xx models ONLY

IBM. Retail Store Solutions TechLine

		PRE-LOADED OS Features	
POS-READY			
4497	system unit		**Model 3xE** POS Ready Full OS
4465	system unit		**Models 5,7,9xE** POS Ready Full OS
4498			**Model 3xE** POS Ready media - language pks & additional components
4466	44V2120		**Models 5,7,9xE** POS Ready media - language pks & additional components
4499			**Model 3xE** POS Ready media - IBM image Recovery Media for hdd
4467	44V0982		**Models 5,7,9xE** POS Ready media - IBM image Recovery Media for hdd
WEPOS 1.1			
4164	system unit		**Model 3xE WEPOS 1.1 Full OS**
4161	system unit		**Models 5,7,9xE** WEPOS Full OS
4120	44V0906		WEPOS Media Language Pack
4130	51J1388		**Model 3xE** Recovery CD WEPOS 1.1
4121	44V0884		**Models 5,7,9xE** Recovery CD WEPOS 1.1
XP DTOSE			
4163	system unit		**Model 3xE XP Pro DTOSE OS**
4160 Formerly 4122	system unit		**Models 5,7,9xE** XP Pro DTOSE Full OS
4124	44V0908		XP Pro DTOSE media-language pack
4131	51J1386		**Model 3xE** XP Pro DTOSE Recovery Media SP3
4132 Formerly 4128	44V0954		**Models 5,7,9xE** XP Pro DTOSE Recovery Media SP3
VISTA DTOSE			
4162 Formerly 4125	system unit		**Models 5,7,9xE** Vista DTOSE Full OS
4127	44V0888		**Models 5,7,9xE** Vista DTOSE Recovery Media

NOT AVAILABLE AS A FRU.
Order with new machine or via MES order with machine serial number for validation

The "E" Models (Preloads) are a PREREQUISITE to the WIN-XP or the WIN-Vista features. An RPQ is required to add WEPOS, Win-XP, or WIN-Vista to this terminal

IT IS STRONGLY RECOMMENDED THAT YOU ORDER ONE RECOVERY DISK FOR EACH LOCATION.

THE LANGUAGE PACKS ARE LICENCED ONE COPY FOR AN ENTIRE ENTERPRISE. IT IS ONLY NECESSARY TO ORDER QTY=ONE

LANGUAGE PACKS contain tools required to restore any Windows components that you may have deleted. It is strongly recommended that at least one Language pack be ordered for each enterprise.

		SCANNER Features	
5080	44V0818		AnyPlace Line Scanner **SMU = 44V0819** **FRU =** 44V0717 (scanner) + 44V0719 (window)
5081	44V0820		AnyPlace Omni Scanner **SMU = 44V0821** **FRU =** 44V0718 (scanner) + 44V0719 (window)
		MSR Features	
0904	44V0826		3-Track MSR, **SMU = 40N6637** **FRU =** 42V3960 – (common to IBM 4846-5x5)
0911	44V0827 **NOT AVAILABLE for model - 3XX**		JUCC MSR, **SMU = 40N6641** **FRU =** 42V3961 – (common to IBM 4846-5x5)
		Power Features	
2902	44V0964	Your plant ORDER will show 2902 plus a No-Charge Specify code for the wall cord, based on your country.	This is a Ship Group Specify code for AnyPlace Power brick when POS Adapter (FC 1400) is NOT on the factory order. Line cord is assigned as a separate Feature Code based on ship-to country
2903	44V0966		MES power supply spare part. The power cord is not included and needs to be separately specified (ordered and paid for) **US / AP SMU** 44V0999 FRU 40N6922 (line cord is not included with FRU)
2894	44V0822		Power Supply holder **SMU = 44V0823** FRU=44V0727

		Wireless Features	
0801	N/A **NOT AVAILABLE for model - 3XX**	Effective Nov 5, 2011, NO LONGER Available in: o Brazil o Dominican Republic o Ukraine o Israel o Bahrain o Qatar o Saudi Arabia o United Arab Emirates o Indonesia o Malaysia o Singapore o Thailand o People's Republic of China o Japan	Wireless Adapter Card (miniPCI) FRU – Internal Parts – Not field installable **models -5xE, -7xE, -9xE ONLY.**
0798	44V0824 **NOT AVAILABLE for model - 3XX**	 The cover is IRON GRAY. It is shown in **GREEN** for clarification	Express Card Cover **SMU = 40V0825** FRU= 44V0728 **models -5xE, -7xE, -9xE ONLY.**

Modular Keyboards

PRE-CONFIGURED US-English KEYBOARDS			
1351	**46V4080** (Iron Gray, with Specify 2921)		**USA ONLY** **SMU =** 44T4145 (Iron) MODULAR ANPOS KEYBOARDw/MSR, Touch Pad/Ptr, Keylock US English
FACTORY INTEGRATION of KEYBOARD FEATURES			
1111	51J3374		Integration of Keyboard Features
MODULAR ANPOS KEYBOARDKeyboard			
2290	51J3326 (G)		**SMU** = 93Y1252 **(G)** **FRU= 93Y1192 (G)** MODULAR ANPOS KEYBOARDKB (Spanish)
2280	51J3325 (G)		**SMU** = 93Y1251 **(G)** **FRU= 93Y1191 (G)** MODULAR ANPOS KEYBOARDKB (US Eng)
KEYBOARD FEATURES			
2260	51J3349 (G)		**SMU = 44T4080 (G)** **FRU= 44T4090 (G)** 3-Track MSR Module
2262	44T4982 (G)		**SMU = 44T4082 (G)** **FRU= 44T4092 (G)** JUCC MSR Module
2264	51J3352 (G) (Mutually exclusive with Fingerprint Module FC 2268)		**SMU = 44T4084 (G)** **FRU= 44T4094 (G)** 2-position Keylock Module Iron Gray **NOTE: You need to order a standard keylock FC 9202-9206**
2266	51J3354 (G)		**SMU = 44T4104 (G)** **FRU= 44T4096 (G)** **THIS FEATURE IS NOT AVAILABLE FOR THE 67-Key Keyboards** Touch Pad/Pointer Module

2268	51J3356 (G) (Mutually exclusive with Keylock FC 2264)		**SMU = 44T4080 (G)** **FRU= 44T4090 (G)** 3-Track MSR Module
1370	46V4070 MES ONLY		**SMU = 44T4081 (G)** **FRU= 46Y2356 (G)** Filler MSR Iron Gray
1374	46V4072 MES ONLY		**SMU = 44T4085 (G)** **FRU= 46Y2358 (G)** Filler Authentication Module Iron Gray
1376	46V4074 MES ONLY		**SMU = 44T4087 (G)** **FRU= 46Y2360 (G)** Filler Touch Pad/Pointer Iron Gray
MODULAR KEYBOARD CABLES			
1320	45X0501		USB cable 1.4M Black **FRU & SMU** =45U0016
1321	45X0503		USB cable 3.8M Black **FRU & SMU** =45U0018
1324	45X0509		12V Powered USB cable 1.4M Black **FRU & SMU** = 45U0036
1325	45X0511	**This cable REQUIRES FC 1400 POS HUB**	12V Powered USB cable 3.8M Black **FRU & SMU** = 45U0038

Lens Kits and Key Kits			
1421	45X0512 FIELD MES ONLY.		This is SHIPPED with each NEW keyboard from the factory **SMU - 46Y2341** **FRU = 46T6701** MODULAR ANPOS KEYBOARD Lens Kit
1426	46V4110		**SMU - 46Y2344** **FRU = 46T6704** Keyboard Key Caps - 1x1 SS (25 units)
1427	46V4111		**SMU - 46Y2345** **FRU = 46T6705** Keyboard Key Caps - 1x2 (25 units)
1428	46V4112		**SMU - 46Y2346** **FRU = 46T6706** Keyboard Key Caps - 1x1 Tall (25 units)
1429	46V4113		**SMU - 46Y2347** **FRU = 46T6707** Keyboard Key Caps - 1x2 Tall (25 units)
LEGEND SHEETS and ACCESSORIES			
1423	45U0041	 SIX BLANK Sheets per package One package contains SIX sheets Warm Gray, Violet, Green, Red, Blue, Yellow	**SMU =** 60G1389 MODULAR ANPOS KEYBOARD KB Label - Blank
ACCESSORIES			
	46V4078		**FRU = 46V4078** Blanking bar, ANPOS white, kit of 5
	46V4079		**FRU = 46V4079** Blanking bar, ANPOS black, kit of 5

POS Peripherals

Feature	MFI PN	Image	Description
		USB Keyboards	
3576	10N1376		**WITHDRAWN Sept 30, 2010** FRU 41J7253 USB 50 Key KB w/MSR- iron
3035	39X8740		**WITHDRAWN Dec 31, 2011** FRU 41J7256 USB 50 Key KB w/MSR & LCD- iron
3851	10N1412		FRU 41J6909 USB ANPOS KB (Spanish)- iron
3846	10N1408	NOT available after Dec 31, 2008	FRU 41J6913 USB ANPOS KB (US Eng)- iron
3275	08L2141		**WITHDRAWN Sept 30, 2010** FRU 42M5606 USB Keyboard Long Cable- powered USB 3.8M
3096	41D0300		**WITHDRAWN Sept 30, 2010** FRU 41D0301 USB Keyboard Medium Cable- powered USB 1.5M
3276	08L2142		FRU 42M5610 USB KBD Long Cable- standard USB 3.8M Please note that whilst this cable is functionally equivalent to FC 4555, the overmolded shoulder on this cable makes it inappropriate for use with the LCD FC 5951
3097	41D0302	**WITHDRAWN Dec 31, 2011**	FRU 41D0303 USB KBD Medium Cable- standard USB 1.5M

Feature	MFI PN	Image	Description
		USB Customer Displays	
5951	10N1174		FC 1400 POS HUB Required if you use cable 5560 or 5597 This can be used WITHOUT the POS Hub by selecting FC 4555. SEE **APK-POS Without the USB HUB** on page 5 USB 40 Char LCD- iron **SMU** – 40N6977 **FRU** (multiple parts) see I/O HW Service Guide, assembly #5
5961	14J0744		**REINSTATED Jan 27, 2012** USB 40 Char VFD (1-sided)- iron gray **SMU** – 40N6969 **FRU** (multiple parts) see I/O HW Service Guide, assembly #5
5560	08L2141		**REINSTATED Jan 27, 2012** **SMU &FRU** 42M5606 Long LCD USB Cable- powered USB 3.8M
5097	41D0308		**REINSTATED Jan 27, 2012** **SMU &FRU** 41D0309 Medium LCD USB Cable- powered USB 1.8m
4555	40N6715		THIS CABLE can be used with the LCD FC 5951 WITHOUT requiring the POS Hub FC 1400. SEE **APK-POS Without the USB HUB** on page 5 **SMU &FRU** 40N6716 USB LCD Long Cable- standard USB 3.8M

Feature	MFI PN	Image	Description
5095	07K5155		**REINSTATED Jan 27, 2012** **SMU &FRU** 42M5670 Medium VFD USB Cable 1.8M
5570	08L2144		**REINSTATED Jan 27, 2012** **SMU &FRU** 42M5632 Long VFD USB Cable 3.8M
		Cash Drawers	
4408	**46N4321**	**Also available in 4611-481 and -491** This can be used WITHOUT the POS Hub by selecting FC 3387 or 6097. These cables require a 4610 SureMark Printer to actuate the cash drawer. SEE **APK-POS Without the USB HUB** on page 5	**SMU** = 40N7122 (I) New Compact Cash Drawer with One Vertical Till. If you desire additional tills, the legacy tills FC 4775 may be ordered
4409	**46N4328**		**SMU** = 40N7130 (I) New Compact Cash Drawer with ONE Horizontal Till. If you desire additional tills, the legacy tills FC 4770 may be ordered
4781	20P3919		**WITHDRAWN – NOT Available after Feb 12, 2010** Compact Cash Drawer
4881	20P3920	FC 1400 POS HUB Required if you use cable 4575 This can be used WITHOUT the POS Hub by selecting FC 3387 or 6097. These cables require a 4610 SureMark Printer to actuate the cash drawer. SEE **APK-POS Without the USB HUB** on page 5	Full Size Cash Drawer **SMU –** 46N4451 FRU – See I/O Service Manual for multiple Parts – Assembly #2

PICTORIAL GUIDE to FEATURES

4838-3,5,7,9xx models ONLY IBM. Retail Store Solutions TechLine

Feature	MFI PN	Image	Description
3387	72H3811		**SMU & FRU** 40N4779 Distributed Cash drawer cable – 3.8M This cable activates the Cash Drawer from the 4610 Printer This can be used WITHOUT the POS Hub. SEE **APK-POS Without the USB HUB** on page 5
6097	41J8960		**SMU & FRU** 41J8961 Integrated Cash Drawer Cable 0.5M This cable activates the Cash Drawer from the 4610 Printer
4367	42M5658		**WITHDRAWN Sept 30, 2010** FRU 42M5659 Medium Length cash drawer cable- 1.4M Attaches to the Port 3A on FC 1400 POS Adapter Hub
4575	42M5656		**REINSTATED Jan 27, 2012** **SMU & FRU** 42M5657 Distributed Cash Drawer Cable 3.8M Attaches to the Port 3A on FC 1400 POS Adapter Hub
9219	41A3502		**REINSTATED Jan 27, 2012** **SMU & FRU - 42M5651** Cash Drawer RJ11 converter for OEM Cash drawer attachment
4765	10H3340		**SMU & FRU** 10H3341 Locking Till Cover for Compact Cash Drawer
4875	6316718	Wide Shown	**SMU & FRU** 6316718 Locking Till Cover for Full Size Cash Drawer

Feature	MFI PN	Image	Description
4775	10H3330		THIS IS ONLY REQUIRED IF YOU INDEND TO HAVE MORE THAN ONE TILL. FC 4408 INCLUDES One of these **SMU & FRU** 10H3331 Lower-level FRUs are available in the I/O Service Guide Vertical Till Insert for Compact Cash Drawer
4770	10H3370		THIS IS ONLY REQUIRED IF YOU INDEND TO HAVE MORE THAN ONE TILL. FC 4409 INCLUDES One of these **SMU & FRU** 10H3371 Lower-level FRUs are available in the I/O Service Guide Horizontal Till Insert for Compact Cash Drawer
4870	4783880		**SMU & FRU** 4783880 Lower-level FRUs are available in the I/O Service Guide Adjustable Till Insert for Full Size Cash Drawer
4865	4783879		**SMU & FRU** 4783879 Lower-level FRUs are available in the I/O Service Guide Fixed Till Insert for Full Size Cash Drawer
4866	42P8020		**SMU & FRU** 42P8025 Lower-level FRUs are available in the I/O Service Guide Euro Till (WIDE DRAWER ONLY)

Feature	MFI PN	Image	Description
4570	13H9614		**SMU and FRU** 41D9506 Cash Drawer Mount Brackets
9200	41D9798 Iron Gray 4611-MES 41D9805		**SMU and FRU** 41D9799 Non-operative lock Iron Gray **IF this is ordered as a 4611 MES item, you will receive one each of the** non-operative locks - pebble gray qty=1 (for legacy systems) - iron gray qty=1 - litho gray qty=1 (for legacy systems)
9202	41J8102		**SMU and FRU** = 41J8078 Lock insert (2)
9203	41J8103		**SMU and FRU** = 41J8079 Lock insert (3)
9204	41J8104		**SMU and FRU** = 41J8080 Lock insert (4)
9205	41J8105		**SMU and FRU** = 41J8081 Lock insert (5)
9206	41J8106		**SMU and FRU** = 41J8082 Lock insert (6)
9218	72H2632	FRU – See I/O Service Manual Asm #23	**SMU** 41J8099 RANDOMLY-Assigned Keylock
9521	4783922		**SMU and FRU** 4783922 Key Change Kit

LINE CORD FRUs for AnyPlace Kiosk (Tri-lobe style)



(not using POS Adapter FC 1400)
All are 2.5 Meter except for Chicago and Colombia (1.8 Meters)

FEAT	MFI PN	FRU PN	DESCRIPTION
9898	61P5715	39M4978	Dominica, Grenada, Hong Kong, Montserrat, Seychelles, Saint Kitts and Nevis
9890	61P5716	39M4994	Japan
9880	39M4956	39M4956	1.8 meter Chicago Legal requirement
9875	61P5717	39M4957	US except Chicago, Anguilla, Cayman Islands, Turks and Caicos Islands, Virgin Islands (British)
9870	61P5709	39M4966	Euro, France, Greenland, Mauritius, St. Lucia, Saint Vincent and the Grenadines
9865	39R5365	39M4970	Denmark
9860	61P5719	39M4974	South Africa
9855	61P5715	39M4978	UK/Ireland
9850	39R5367	39M4982	Switzerland
9845	44D0886	39M4986	Italy
9840	44D0889	39M4990	Israel
9825	61P5724	39M4956	1.8 meter Colombia, Venezuela, Peru, Ecuador

PICTORIAL GUIDE to FEATURES

4838-3,5,7,9xx models ONLY

IBM. Retail Store Solutions TechLine

INLINE (C13-style) for use with FC 1400 POS Adapter hub

Reinstated Jan 27, 2012

FEAT	MFI PN	FRU PN	DESCRIPTION
9898	29P7153	39M5152	4.3 Meter Non-Locking - Dominica, Grenada, Hong Kong, Montserrat, Seychelles, Saint Kitts and Nevis
9895	29P7150	39M5138	Locking, Japan (NOT REACTIVATED)
9890	44D0890	39M5200	4.3 Meter Non-Locking Japan
9880	29P7171	39M5080	1.8 Meter FC 9880 is required in Chicago
9875	29P7167	39M5082	Non-Locking 4.3M US except Chicago, Anguilla, Cayman Islands, Turks and Caicos Islands, Virgin Islands (British)
9873	29P7169	39M5110	4.3 Meter US, except Chicago
9870	29P7163	39M5124	4.3 Meter Non-Locking Euro, France, Greenland, Mauritius, St. Lucia, Saint Vincent and the Grenadines
9865	29P7149	39M5131	4.3 Meter Non-Locking Denmark
9860	29P7151	39M5145	4.3 Meter Non-Locking South Africa
9855	29P7153	39M5152	4.3 Meter Non-Locking UK/Ireland
9850	29P7155	39M5159	4.3 Meter Non-Locking Switzerland
9845	29P7159	39M5166	4.3 Meter Non-Locking Italy
9840	29P7158	39M5173	4.3 Meter Non-Locking Israel
9835	29P7157	39M5165	Non-Locking 2.8M Chile
9830	29P7156	39M5068	Non-Locking 2.8M Argentina, Paraguay, Uruguay
9825	29P7171	39M5080	Non-Locking 1.8M Colombia, Venezuela, Peru, Ecuador
9820	29P7154	39M5081	Non-Locking 2.8M Colombia, Venezuela, Peru, Ecuador
9820	44D1635	39M5240	Non-Locking 2.8M Brazil only

REVISION HISTORY

Jan 19, 2012 V8.0 – Reinstate the POS Hub and selected VFDs and cables
Oct 5, 2011 V7.7 – EPIC changing words of FC 2903 MES
Sept 20, 2011 V7.6 - Withdrew a legacy keyboard
Nov 18, 2010 – V7.5 Clarified Standard HDD for model -3xx
Nov 9, 2010 – V7.4 – Withdrawal of Wireless FC 0801 from selected countries
July 16, 2010 V7.3 – Withdraw POS Hub, Power Cords, and MFD Options effective Sept 30, 2010
May 27, 2010 – V7.2 Added Line Cord Section
Oct 23, 2009 V7.1 Add New Compact cash drawer (announces Nov 10)
July 10, 2009 –V7.0 Preparation for Withdrawal of Semperons, Announcement of POSReady July 28, 2009-07-10
Feb 4, 2009 V6.5 Changed PN for FC 1351
Oct 8, 2008 – V6.4 Clarified MES and 4611 Ordering of Modular Keyboards
Oct 3, 2008 – V6.3 – Clarified text for FC 4503
July 31, 2008 – V6.2 Changed FC 4503 to ONE module, 2GB
June 24, 2008 – V6.1 – Removed PS/2 Modular Kbd cables and updated images for modular kbd
June 12, 2008 – V6 Added Modular Keyboard
April 25, 2008 – V5.0 Added Model -3xx for 4/29/2008 Announcement
April 1, 2008 – Ver 4.3 – Added cautionary note to FC 4500/4502
March 14, 2008 – Ver 4.2 – Added MES verbiage to FC 1400
February 19, 2008 – Ver 4.1 – Added Verbiage to the VISTA and XP features, making the "E" model a prerequisite
January 9, 2008 – Ver 4 – Windows XP and Vista Preloads (for 1/15/08 announcement)
November 16, 2007 – Added MES information to FC 9200
October 15, 2007 Ver 3 – Clarified requirements for 0797 MES MFD.
October 8, 2007 Ver 2.0 Announcement Corrections to MFD and Power Cords
Sept 18, 2007 Ver 1.0 Initial Release on Day of Announcement